

SuperSmart[®]

Customer: **SMART**
CERTIFICATE ANALYSIS PRODUCT FINISHED
 Product: **COENZYMATED B COMPLEX 30 CP** Code **LU916**
 N°PNT Reference **MAPA LU916** Batch/N°analysis: **2301 07 2026**

| CONCEPT | | RESULTS | | |
|-------------------------------------|------------------------------------|---------------------------------------|---|---------|
| Presentation | | 30 tablets of Coenzimated in blister. | | |
| Date Fabrication | | JULY 2023 | | |
| Analyses of samples | | As documents in process | | |
| Expire day | | JULY 2026 | | |
| Production order number | | 233.209 | | |
| Bottling order number | | 233.209 | | |
| Raw Material certificate inspection | | Correct | | |
| Bottling Material inspection | | Correct | | |
| Process certificates review | | Correct | | |
| | Analysis | Méthod | Specifications | Results |
| Organoleptics properties | Aspect | Visual Control | Tablets. | Correct |
| | Odor | Olfactory Control | Not odor. | Correct |
| | Taste | Taste Control | Inspidus. | Correct |
| | Colour | Visual Control | Yellow. | Correct |
| Physichalchemical Parameters | Average | Average | $\geq 1140 \leq 1260$ mg. | 1241 mg |
| | Uniformity mass | F. Eur 3 ^a ed., 2.9.5. | $\geq 1140 \leq 1260$ mg. | 1243 mg |
| | Height | Pié de rey | $\leq 5,3$ | 5,2 mm |
| | Hardness | FEE007 | $\geq 4 \leq 7$ | 5 Kp |
| | Wet | FEE011 60°C 60 hPa 2h | $\leq 6 \%$ | 4 % |
| | Friability | FEE025 | $\leq 1\%$ | 0,4 % |
| | Time dispersion | Water very hot | ≤ 8 min. | 4 min. |
| Packaging | N° tablets/blister | Visual Control | 10 | Correct |
| | N° tablets/storage | Visual Control | 30 | Correct |
| Marking Label | Batch/ Expire day | Control Visual | 2301 07 2026 COENZYMATED B COMPLEX | Correct |
| | Printer | Control Visual | | Correct |
| Quantities | Ingredients mg./cáp: | As specifications Customer | | |
| Units per bottle | 240 in a Box. | | | Correct |
| Units | Results: 1.004 | | | |
| Preservation | Dry place and To keep out of light | | | |

Date: 14/07/2023